

HAZARDOUS WASTE HOTLINE REPORT FORM

TAKEN BY: CLASON

SITE NAME: Air Comfort Corp.  
ADDRESS: 2550 Crescent Dr. Broadview, IL  
COUNTY: Cook

SITE DESCRIPTION:

Attorney got a call from her client that 40 drums suddenly appeared on the client's property and, not knowing contents, they are unable to remove and dispose of them safely.

Does EPA have the ability to sample and/or dispose of the barrels? Who can help them? The attorney would appreciate some guidelines to follow....the client's property is in Broadview, IL

NAME OF CALLER: Priscilla Weaver  
ADDRESS: Mayer, Brown and Platt  
Chicago, IL  
PHONE: 782-0600

Reported to other agencies? \_\_\_\_\_

Follow-up Information Requested? \_\_\_\_\_

Immediate Action Taken: Called Ken Berchaly 10-14-80. IEPA has inspected and taken samples from drums.

EPA Region 5 Records Ctr.



283308

<b>RECORD OF COMMUNICATION</b>	<input checked="" type="checkbox"/> PHONE CALL <input type="checkbox"/> DISCUSSION <input type="checkbox"/> FIELD TRIP <input type="checkbox"/> CONFERENCE <input type="checkbox"/> OTHER (SPECIFY)		
(Record of item checked above)			
TO: Priscilla Weaver of Mayer, Brown & Platt Legal Firm 782-0600 Ken Bechely IEPA-DLPC 345-9780	FROM: Phil Kaplan	DATE 10/14/80	TIME
<b>SUBJECT</b> Hot line call #774- 40 drums of unknown material dumped.			
<b>SUMMARY OF COMMUNICATION</b> <p>I called Priscilla Weaver. A <sup>property</sup> survey was taken and the drums were found not to be on her client's property so she no longer has interest in the matter.</p> <p>Ken Bechely informed me that Jay Evans has been out to the site twice. The drums are on the property of Air Comfort, Inc. of Broadview, IL. Jay Evans took representative samples from the drums and IEPA will provide Air Comfort, Inc. with the results to assure proper disposal. IEPA will then monitor the proper removal of the drums.</p>			
<b>CONCLUSIONS, ACTION TAKEN OR REQUIRED</b> <p>IEPA will monitor situation to assure proper disposal of drums.</p> <p>ML, PA &amp; TD forms filled out.</p>			
<b>INFORMATION COPIES</b> TO:			